



**SAFETY DATA SHEET**  
**COLUMBIA RIVER CARBONATES**

Product: MICRONA™ Prill Gypsum  
Version: 1.0  
Page: 1 of 4  
Revision Date: 1/23/15

**SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION**

Product Name/Trade Name(s): MICRONA™ Prill - Gypsum  
Common Name: Calcium sulfate dihydrate, gypsum  
Chemical Name: Calcium sulfate dihydrate  
Chemical formula:  $\text{CaSO}_4 \cdot 2\text{H}_2\text{O}$

**Manufacturer or Supplier's Details:**

Company name of supplier: Columbia River Carbonates  
Address: 300 N. Pekin Road,  
Woodland, WA 98674  
Telephone: (360) 225-6505  
Emergency Phone: (360) 225-6505

**Recommended use of the chemical and restrictions on use:**

Recommended Use: Agricultural soil amendment  
Restrictions on use: For agricultural use only

---

**SECTION 2 – HAZARDS IDENTIFICATION**

**Emergency Overview**

<b>Appearance</b>	Brown granular mix
<b>Odor</b>	Slight mineral odor

**GHS Classification**

Not a hazardous substance or mixture

**GHS Label element**

Not a hazardous substance or mixture

**Health Hazards:** May be irritating to the respiratory tract, eyes, and skin. Ingestion may cause gastrointestinal upset.

**Eye Contact:** Direct contact with dust may cause irritation by mechanical abrasion.

**Skin Contact:** Direct contact may cause irritation by mechanical abrasion

**Ingestion:** If ingested, intestinal obstruction may occur if the material hardens, especially in the pyloric region.

**Inhalation:** Dusts may irritate the nose, throat, and respiratory tract by mechanical abrasion. Coughing, sneezing, and shortness of breath may occur following exposures in excess of appropriate exposure limits.

---



**SAFETY DATA SHEET**  
**COLUMBIA RIVER CARBONATES**

Product: MICRONA™ Prill Gypsum  
Version: 1.0  
Page: 2 of 4  
Revision Date: 1/23/15

**SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS**

Substance/Mixture: Mixture

**Ingredients**

Chemical Name	CAS-No.	Typical composition (%)
Calcium sulfate dihydrate	10101-41-4	85-95%
Calcium lignosulfonate	8061-52-7	1-2%

**SECTION 4 – FIRST AID MEASURES**

- If inhaled:** Move to fresh air in case of accidental inhalation of dust. If symptoms persist, call a physician.
- In case of skin contact:** In case of skin contact, immediately rinse area with water. Cover irritated area with an emollient. Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Seek medical attention if irritation persists.
- In case of eye contact:** In case of contact immediately flush eyes with water for a minimum of 15 minutes. Warm water is recommended but cold water may be used
- If swallowed:** Rinse mouth thoroughly with water and drink afterwards plenty of water to dilute material in stomach. Do not induce vomiting. Never give anything by mouth to an unconscious person.

**SECTION 5 – FIRE FIGHTING MEASURES**

- Flash Point:** Non-Flammable
- Suitable extinguishing media:** This material is not combustible. Appropriate extinguishing media for surrounding fire should be used.
- Hazardous combustion products:** None. Above 1450°C, material can decompose and release sulfur dioxide (SO<sub>2</sub>) and oxides of carbon.
- Special protective equipment for fire fighters:** In the event of fire, wear self-contained breathing apparatus.

**SECTION 6 – ACCIDENTAL RELEASE MEASURES**

- Steps to be taken in case material is released or spilled:** Use dry methods to collect spilled materials, and reuse clean materials. Avoid generating dust. Do not clean up with compressed air. Minimize dust by evacuating area downwind in the case of large spills. Store contaminated materials in dry, sealed plastic or non-aluminum metal containers. Residues on surfaces may be washed with water.
- Environmental precautions:** No special environmental precautions required. None of the components in this product are subject to the reporting requirements of Title III or SARA, 1986 and 40 CFR



**SAFETY DATA SHEET**  
**COLUMBIA RIVER CARBONATES**

Product: MICRONA™ Prill Gypsum  
Version: 1.0  
Page: 3 of 4  
Revision Date: 1/23/15

**SECTION 7 – HANDLING AND STORAGE**

Ensure proper ventilation, and respiratory and eye protection are used under dusty conditions. Dew point conditions or other conditions causing presence of moisture will harden gypsum during storage. Excessive particulate concentrations in workplace must be avoided even though it is inert and non-toxic.

**SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION**

Ingredients	CAS #	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Calcium Sulfate Dihydrate	10101-41-4	TWA (Respirable)	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA (Total)	15 mg/m <sup>3</sup>	OSHA Z-1

**Personal Protective Equipment**

**Respiratory Protection:** When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

**Hand protection remarks:** Long sleeves and cotton gloves recommended

**Eye protection:** Safety Glasses with side shield, goggles, or face mask recommended

**Ventilation:** Local exhaust ventilation recommended

**SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance:** Granular mix  
**Color:** Light brown  
**Odor:** Slight mineral odor  
**pH:** 6.7  
**Boiling/Melting Point:** N/A  
**Flash Point:** Non-Flammable  
**Flammability (solid, gas):** Does not ignite  
**Vapor Pressure:** N/A  
**Specific Gravity:** 2.6-2.75 g/ml  
**Solubility in Water:** 2.1 g/L @ 20°C  
**Thermal Decomposition:** 825°C

**SECTION 10 – STABILITY AND REACTIVITY**

**Reactivity:** Stable under recommended storage conditions.

**Chemical Stability:** No decomposition if stored and applied as directed.

**Incompatibility (Material to Avoid):** Aluminum (at high temperatures), diazomethane

**Hazardous Decomposition Products:** When heated to high temperatures above 825°C, gypsum may emit toxic fumes of oxides of sulfur and calcium

**SECTION 11 – TOXICOLOGICAL INFORMATION**

**Calcium sulfate dehydrate**

**Exposure route:** Inhalation, skin, and/or eye contact.

**Target organs:** Eyes, skin, respiratory system.



**SAFETY DATA SHEET**  
**COLUMBIA RIVER CARBONATES**

Product: MICRONA™ Prill Gypsum  
Version: 1.0  
Page: 4 of 4  
Revision Date: 1/23/15

Acute Effect: Calcium sulfate dehydrate dust has an irritant action on mucous membranes of the respiratory tract and eyes. There have been reports of conjunctivitis, chronic rhinitis, laryngitis, pharyngitis, impaired sense of smell and taste, bleeding from the nose and reactions of tracheal and bronchial membranes in exposed workers.

---

**SECTION 12 – ECOLOGICAL INFORMATION**

No data available.

---

**SECTION 13 – DISPOSAL CONSIDERATIONS**

May be disposed of as an inert solid in sanitary landfill or by other procedures in accordance with all federal, state, and local regulations. May be used as a supplement on land and on some agricultural products.

---

**SECTION 14 – TRANSPORT INFORMATION**

**DOT Hazard Classification:** None

**Placard Required:** None

---

**SECTION 15 – REGULATORY INFORMATION**

**FDA:** Product is manufactured for agricultural applications. As such, FDA regulations do not apply.

---

**SECTION 16 – OTHER INFORMATION**

**Prepared by Technical Support Group**

The information contained herein has been compiled by Columbia River Carbonates from sources it considers reliable, and is accurate to the best of Columbia River Carbonates' knowledge. Before using the product identified hereon, the foregoing SDS and the product label should be read carefully. The information contained herein relates only to the product identified hereon, and does not relate to its use in combination with any other material or in any process. Customers are encouraged to conduct their own tests concerning the use of the product identified hereon as each customer's manner and conditions of use and handling may involve additional considerations. Columbia River Carbonates assumes and shall incur no liability for any damages, losses, injures, costs, or consequential damages that may result from the uses or misuse of the product identified hereon, and the recipient assumes all of such liability.